Quick Tip Providers

March 2020 2 pages

NOW AVAILABLE: COVID-19 Lab Order

WHAT

Clinicians can now place an order for COVID-19 testing.

There are two different orderables in our system, however ministries <u>will only see the orderable for their current</u> <u>location</u>. The viewable order will be determined by the resulting laboratory, one for interface laboratories and one for non-interfaced laboratories.

PLEASE NOTE

- As new testing becomes available by location, MEDITECH will be updated with the appropriate order for your location.
- Please contact your Clinical Laboratory, Infection Prevention/Disease departments for clarification.

Results

- **Interfaced Laboratory Results** will file into the patient chart as discrete laboratory results that are viewable in the same way as other results.
- Non-interfaced Laboratory Results will come back via paper, fax, or in a lab portal, in the same
 manner you would see your other non-interfaced lab results for miscellaneous orders. Frequently
 these are scanned into the EHR.

ORDERING for COVID-19 TESTING

The process for ordering COVID-19 is described below.

Search mnemonic COVID or Coronavirus
 It is recommended NOT to save this order as a personalized favorite to ensure you are using the correct order.




- 2. Complete the order entry questions. The following questions are required:
 - a. Source Free Text (i.e. Nasopharyngeal or Oropharyngeal)
 - b. Pt placed in in Isolation and Infection prevention notified Yes/No
 - c. If sending to Public Health, has approval been obtained?—Yes/No/NA


Coronavirus - COVID-19 PCR (LABNUR)		
	Order Coronavirus - COVID-19 PCR (LABNUR)	
* Priority Quantity * Date Time	R 3/12/20 1248	Directions
* Collected By Care Area? @*Print Label Now?		
* If sending to P	colation and Infection prevention notified?Y/N Public Health, has approval been obtained? t be performed without preapproval. #:	Territoria de la constanta de
~ACTUAL PRO - - -	OVIDER ORDER ABOVE, BELOW IS FOR POM DISPLAY ONLY~	

3. Results will appear in two places within the EMR

Serology Section – Laboratory Panel



24 Hour Panel - Laboratory Section



Interfaced Results: Comment Bubble (text is longer than appears in screen shot)

Coronavirus (PCR)

NOT DETECTED

REFERENCE RANGE: NOT DETECTED

This test is intended to be performed only using respiratory specimens collected from individuals who meet Centers for Disease Control and Prevention (CDC) clinical and/or epidemiological criteria for COVID-19 testing. CDC COVID-19 criteria for testing on human specimens are available at CDC's webpage Information for Healthcare Professionals: Coronavirus Disease 2019 (COVID-19) (https://www.cdc.gov/coronavirus/2019-ncov/hcp/index.html).

Non-Interfaced Results: Comment Bubble

Result Comment:
Please see scanned reference lab report.